

# benjamin

## Model Code E8932

date of issue 30-07-19 revision 00

revision of 06-02-23 (the present replaces any previous versions)



**Designer:** centro studi interno

**Structure:** pinewood, beechwood, multilayer and plywood covered with polyurethane foam.

**Spring system:** elastic webbing

**Seat Padding:** seat cushions in ecological polyurethane foam covered with 100% polyester layer

**Back Padding:** ecological polyurethane foam covered with 100% polyester layer

**Arm Interior:** armrests in ecological polyurethane foam covered with 100% polyester layer

**Removability:** not available

**Mechanisms:** the model is equipped with headrests that can be manually lifted. The height of the model with lifted headrests is 99 cm. Recliner versions available with electric recliner metal mechanisms operated by a button panel positioned on the internal sides. The maximum depth of the model with open recliner is 155 cm.

**Components:** button panel (puls\_usb) equipped with USB connector which allows several devices to be plugged.

**Standard feet:** the model is lifted 13.5 cm off the floor. Shiny metal standard feet. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

### Density of seat and back kg/cbm (±5%)<sup>(1)</sup>

| Markets          | Seat              | Back              |
|------------------|-------------------|-------------------|
| I                | 30 Medium         | 27                |
| D - NL - CH      |                   |                   |
| USA - California |                   |                   |
| GB               | 37 fire retardant | 27 fire retardant |
| Others           | 30 Medium         | 27                |

(1) Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

### Coverings

|                       | suggested | not suggested | not possible |
|-----------------------|-----------|---------------|--------------|
| thick leathers        | ✓         |               |              |
| thin elastic leathers | ✓         |               |              |
| natural leathers      | ✓         |               |              |
| fabric*               | ✓         |               |              |
| microfibre*           | ✓         |               |              |
| leather + split       | ✓         |               |              |
| DeLuxe                |           |               | ✓            |
| multi colour**        |           |               | ✓            |
| multi-category**      |           |               | ✓            |
| multi covering**      |           |               | ✓            |

Please note: for not removable models, only one colour fabric covers are available.



PULS\_1

### Feet



PM2097

PM2098

PM2087



### Ottoman



We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.

↑ fold following the dotted line ↑

# benjamin



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).

|                                    |                                    |                                    |                                    |                                    |                                    |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
|                                    |                                    |                                    |                                    |                                    |                                    |
| dimensions                         | L 104<br>H78 D106 SH45 SD55        | L 172<br>H78 D106 SH45 SD55        | L 194<br>H78 D106 SH45 SD55        | L 214<br>H78 D106 SH45 SD55        | L 234<br>H78 D106 SH45 SD55        |
| version code                       | <b>190</b>                         | <b>200</b>                         | <b>240</b>                         | <b>300</b>                         | <b>F82</b>                         |
| Description                        | small chair                        | 2 seater                           | 2 1/2 seater                       | 3 seater                           | 3 seater xl                        |
|                                    |                                    |                                    |                                    |                                    |                                    |
| L 168<br>H78 D106 SH45 SD55        | <b>251</b>                         | L 168<br>H78 D106 SH45 SD55        | <b>252</b>                         | L 187<br>H78 D106 SH45 SD55        | <b>310</b>                         |
| 1 right arm fac.2<br>1/2 str       | 1 left arm fac. 2<br>1/2 str       | right arm facing<br>3 str          | left arm facing 3<br>str           | square corner                      | sq.cor.chr.sq.mer.<br>rig.fac.     |
|                                    |                                    |                                    |                                    |                                    |                                    |
| L 227<br>H78 D106 SH45 SD55        | <b>044</b>                         | L 106<br>H78 D106 SH45 SD55        | <b>566</b>                         | L 61<br>H78 D106 SH45 SD55         | <b>106</b>                         |
| sq.cor.chr.sq.mer.le<br>fac.       | small chair el.<br>rec.            | armless mini<br>chair elec.rec.    | elec.recl.armless<br>chair         | el.rec.arml.maxi<br>chair          | L -<br>H- D- SH- SD-<br><b>Y00</b> |
|                                    |                                    |                                    |                                    |                                    |                                    |
| L 196<br>H78 P106 HS45 PS55        | <b>L 216</b><br>H78 P106 HS45 PS55 | <b>L 236</b><br>H78 P106 HS45 PS55 | <b>L 168</b><br>H78 P106 HS45 PS55 | <b>L 168</b><br>H78 P106 HS45 PS55 | <b>L 188</b><br>H78 P106 HS45 PS55 |
| L -<br>H- D- SH- SD-<br><b>Y01</b> | L -<br>H- D- SH- SD-<br><b>Y03</b> | L -<br>H- D- SH- SD-<br><b>Y38</b> | L -<br>H- D- SH- SD-<br><b>Y32</b> | L -<br>H- D- SH- SD-<br><b>Y33</b> | L -<br>H- D- SH- SD-<br><b>Y34</b> |
| 174 + 173                          | 613 + 612                          | q89 + q88                          | 174 + 130                          | 130 + 173                          | 613 + 144                          |

↓ fold following the dotted line ↓



↑ fold following the dotted line ↑

---

# benjamin



**L** Length - **H** Height - **D** Depth - **SH** Seat Height - **SD** Seat Depth  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).

|              |                             |
|--------------|-----------------------------|
|              |                             |
|              | L 188<br>H78 P106 HS45 PS55 |
| dimensions   | L-<br>H- D- SH- SD-         |
| version code | Y35                         |
| Description  | 144 + 612                   |

↓ fold following the dotted line ↓

---

