

domi'

Model Code E8923

date of issue 08-01-19 revision 00
revision of 06-02-23 (the present replaces any previous versions)



Designer: centro studi interno

Structure: pinewood, beechwood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester padding.

Back Padding: in ecological polyurethane foam covered with 100% polyester padding.

Arm Interior: armrests in ecological polyurethane foam covered with 100% polyester padding.

Removability: not available.

Mechanisms: the model is equipped with headrests that can be manually lifted. The height of the model with lifted headrests is 99 cm. Electric recliner versions feature electric recliner mechanisms operated by a touch pad positioned on the seat sides. The depth of the sofa with open recliner is 155 cm.

Standard feet: shiny metal standard feet, h. 13.5 cm. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

Density of seat and back kg/cbm (±5%) ⁽¹⁾

Markets	Seat	Back
I	30 Medium	27
D - NL - CH		
USA - California		
GB	37 fire retardant	27 fire retardant
Others	30 Medium	27

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

* fabrics and microfibers are not available for the U.K. market

Components / Optional vers.



Feet



PM2108



Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.





↑ fold following the dotted line ↑

domi'



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L 172
H78 D108 SH45 SD55

L 192
H78 D108 SH45 SD55

L 212
H78 D108 SH45 SD55

L 226
H78 D108 SH45 SD55

L 75
H43 D65 SH- SD-

version code

200

240

300

F 82

635

Description





2 seater

2 1/2 seater

3 seater

3 seater xl

rectangular
ottoman



L 144
H78 D108 SH45 SD55

L 144
H78 D108 SH45 SD55

L 164
H78 D108 SH45 SD55

L 164
H78 D108 SH45 SD55

L 184
H78 D108 SH45 SD55

L 184
H78 D108 SH45 SD55

1 right arm facing
2 str



1 left arm facing 2
str

1 right arm fac.2
1/2 str

1 left arm fac. 2
1/2 str

1 right arm facing
3 str

1 left arm facing 3
str



L 204
H78 D108 SH45 SD55

L 204
H78 D108 SH45 SD55

L 59
H78 D108 SH45 SD55

L 69
H78 D108 SH45 SD55

L 79
H78 D108 SH45 SD55

L 89
H78 D108 SH45 SD55

1 raf 3 str xl






1 laf 3 str xl

small chair no
arm

chair without
armr.

maxi chair no
arm

xl chair no arm



L 96
H78 D168 SH45 SD115

L 96
H78 D168 SH45 SD115

L 106
H78 D168 SH45 SD115

L 106
H78 D168 SH45 SD115

L 108
H78 D108 SH45 SD115

L 227
H78 D108 SH45 SD55

chaise lon.rhf
arm fac

chaise lon.lhf
arm fac

maxi chaise
lon.rgt arm fac.

maxi chaise
lon.lft arm fac.

square corner

sq.cor.chr.sq.mer.
rig.fac.

↓ fold following the dotted line ↓



↑ fold following the dotted line ↑

domi'



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).

dimensions	L 227 H78 D108 SH45 SD55	L 86 H78 D108 SH45 SD55	L 86 H78 D108 SH45 SD55	L 96 H78 D108 SH45 SD55	L 96 H78 D108 SH45 SD55
version code	044	C36	C37	173	174
Description	sq.cor.chr.sq.mer.le fac.	rhf el.rec.mini chair	lhf el.rec.mini chair	elec.rec.chair 1arm raf	elec.rec.chair 1arm laf
L 106 H78 D108 SH45 SD55	L 106 H78 D108 SH45 SD55	L 116 H78 D108 SH45 SD55	L 116 H78 D108 SH45 SD55	L 61 H78 D108 SH45 SD55	L 71 H78 D108 SH45 SD55
612	613	Q88	Q89	106	E95
1raf maxi chair rec.el	1laf maxi chair rec.el	el.rec.xl rhf chair	el.rec.xl lhf chair	armless mini chair elec.rec.	elec.recl.armless chair
L 81 H78 D108 SH45 SD55	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-
182	Y00	Y01	Y03	Y38	Y30
el.rec.arml.maxi chair	c37 + c36	174 + 173	613 + 612	q89 + q88	c37 + d62
L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-
Y31	Y32	Y33	Y34	Y35	Y36
d62 + c36	174 + 130	130 + 173	613 + 144	144 + 612	q89 + p09

↓ fold following the dotted line ↓




↑ fold following the dotted line ↑

domi'



L Length - **H** Height - **D** Depth - **SH** Seat Height - **SD** Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L -
H- D- SH- SD-

version code

Y37

Description

p09 + q88

↓ fold following the dotted line ↓

