

Kalipso

Model Code E8947

date of issue 26-05-23 revision 00
revision of 14-06-23 (the present replaces any previous versions)



Designer: centro studi interno

Structure: beechwood, pinewood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam, covered with 100% polyester padding

Back Padding: backrests and headrests in ecological polyurethane foam, covered with 100% polyester padding

Arm Interior: armrests in ecological polyurethane foam, covered with 100% polyester padding

Removability: not available.

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) covers.

Mechanisms: the model is equipped with headrests that can be manually lifted. The height of the model with lifted headrests is 98 cm. Reclining versions available with power recliner mechanism, operated by a button panel * (puls_1) on armrest sides and touch pad (TP_1) on armless sides. The maximum depth of the model with recliner mechanism completely open is 157 cm.

Components: *button panel (puls_1) equipped with USB connector which allows several USB power supply devices to be plugged in.

Standard feet: PVC h.5 cm.

Density of seat and back kg/cbm (±5%) ⁽¹⁾

Markets	Seat	Back
I	30 Medium	27
D - NL - CH	30 sostenuto hard	28 hard
USA - California	30 soft	27 soft
GB	37 fire retardant	31 fire retardant
Others	30 Medium	27

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe*			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market.



PULS_1



TP_1

Feet



PVC H5

We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.

Ottoman



↑ fold following the dotted line ↑

Kalipso



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).

dimensions	L 172 H77 D107 SH45 SD55	L 192 H77 D107 SH45 SD55	L 212 H77 D107 SH45 SD55	L 65 H45 D65 SH- SD-	L 86 H77 D107 SH45 SD55
version code	200	240	300	540	B 68
Description	2 seater	2 1/2 seater	3 seater	ottoman	mini chair raf
L 86 H77 D107 SH45 SD55	L 96 H77 D107 SH45 SD55	L 96 H77 D107 SH45 SD55	L 106 H77 D107 SH45 SD55	L 106 H77 D107 SH45 SD55	L 148 H77 D107 SH45 SD55
B 69	110	120	114	124	210
mini chair laf	1 right arm facing chair	1 left arm facing chair	rhf maxi chair	lhf maxi chair	1right arm facing 2 str
L 148 H77 D107 SH45 SD55	L 168 H77 D107 SH45 SD55	L 168 H77 D107 SH45 SD55	L 188 H77 D107 SH45 SD55	L 188 H77 D107 SH45 SD55	L 62 H77 D107 SH45 SD55
220	251	252	310	320	D 62
1left arm facing 2 str	1 right arm fac.2 1/2 str	1 left arm fac. 2 1/2 str	1right arm facing 3 str	1left arm facing 3 str	small chair no arm
L 72 H77 D107 SH45 SD55	L 82 H77 D107 SH45 SD55	L 124 H77 D107 SH45 SD55	L 144 H77 D107 SH45 SD55	L 164 H77 D107 SH45 SD55	L 96 H77 D167 SH45 SD115
130	144	230	243	330	410
chair without armr.	maxi chair no arm	2 str with no arm.	2 1/2 seater with no armrests	3 str with no armrests	chaise lon.rhf arm fac

↓ fold following the dotted line ↓



↑ fold following the dotted line ↑

Kalipso



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).

dimensions	L 96 H77 D167 SH45 SD115	L 124 H77 D184 SH45 SD134	L 124 H77 D184 SH45 SD134	L 110 H77 D110 SH45 SD55	L 222 H77 D110 SH45 SD55
version code	420	P63	P64	040	043
Description	chaise lon.lhf arm fac	rhf xl chaise longue	lhf xl chaise longue	square corner	sq.cor.chr.sq.mer. rig.fac.
L 222 H77 D110 SH45 SD55	L 112 H77 D107 SH45 SD55	L 112 H77 D107 SH45 SD55	L 86 H77 D107 SH45 SD55	L 86 H77 D107 SH45 SD55	L 96 H77 D107 SH45 SD55
044	168	169	C36	C37	173
sq.cor.chr.sq.mer.le fac.	chr no arms mer.rgt fac.ter.	chr no arms mer.lft fac. term.	rhf el.rec.mini chair	lhf el.rec.mini chair	elec.rec.chair 1arm raf
L 96 H77 D107 SH45 SD55	L 106 H77 D107 SH45 SD55	L 106 H77 D107 SH45 SD55	L 62 H77 D107 SH45 SD55	L 72 H77 D107 SH45 SD55	L 82 H77 D107 SH45 SD115
174	612	613	106	E95	182
elec.rec.chair 1arm laf	1raf maxi chair rec.el	1laf maxi chair rec.el	armless mini chair elec.rec.	elec.recl.armless chair	el.rec.arml.maxi chair
172	192	212	148	148	168
L - H-D-SH-SD-	L - H-D-SH-SD-	L - H-D-SH-SD-	L - H-D-SH-SD-	L - H-D-SH-SD-	L - H-D-SH-SD-
Y00	Y01	Y03	Y30	Y31	Y32
c37 + c36	174 + 173	613 + 612	c37 + d62	d62 + c36	174 + 130

↓ fold following the dotted line ↓



↑ fold following the dotted line ↑

Kalipso



L Length - **H** Height - **D** Depth - **SH** Seat Height - **SD** Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).

dimensions	L - H- D- SH- SD-	L - H- D- SH- SD-	L - H- D- SH- SD-
version code	Y33	Y34	Y35
Description	130 + 173	613 + 144	144 + 612

↓ fold following the dotted line ↓

