fly 2.0.premium 1200



Model Code F5641

date of issue 02-11-21 revision 00 revision of 03-12-24 (the present replaces any previous versions)

Designer: Bernard Masson

Structure: pinewood, multilayer and plywood covered with ecological polyurethane foam wrapped with 100% polyester padding. On tilt versions only, backrests rest on a metal mechanism.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester padding.

Back Padding: Fibre (synthetic fibrefill) back, with lumbar supports in ecological polyurethane foam covered with 100% polyester layer.

Arm Interior: armrests in ecological polyurethane foam covered with 100% polyester padding.

Removability: not available

Sewing: leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) coverings.

Mechanisms: the model is provided with armrests that can be manually lifted. "Tilt" versions are equipped with a metal mechanism that can be manually operated. The mechanism allows the backs to be moved backwards and/or forwards, to get different seat comforts. With backrests positioned backwards the seat depth lengthens by 42 cm (17"). The depth of the model with open back mechanism lengthens up to 138 cm (54").

Standard feet: the model is lifted 16 cm off the floor. PM2231 on armrest sides, PM 2233 on armless sides, PM 2232 on armrest side versions AU9/AU8, PM2235 on fixed versions armrest sides and RHF/LHF dormeuse. All listed feet are available with standard Graubraun finish. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function (PM2236 h. 15.5 cm in matt black colored metal).

Please note: the model is completely finished on all sides; each single element is upholstered also on inner sides.

Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back fiocco + 24 HR	
1	35 Medium HR		
D - NL - CH			
USA - California	35 soft HR	fiocco + 24 soft HR	
GB	37 fire retardant	fiocco + 27 fire retardant	
Others			

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 explaints. Indicated values refer to production averages; the Company reserves the right. If needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE to rnto regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings			
	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			1
DeLuxe*			~
multi colour**			~
multi-category**			1
multi covering**			~

Please note: for not removable models, only one colour fabric covers are available

* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market.








We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.



fly 2.0. premium 1200

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).




\blacksquare fold following the dotted line \blacksquare

ITALIA

fly 2.0. premium 1200

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).





fold following the dotted line
